



**Meeting Minutes
Work Session
North Hampton Planning Board
Tuesday, January 17, 2017 at 6:30pm
Town Hall, 231 Atlantic Avenue**

8
9 These minutes were prepared as a reasonable summary of the essential content of this meeting, not as a
10 transcription.
11

12 **In attendance:** Tim Harned, Chair; Nancy Monaghan, Vice Chair; Members Phil Wilson, Dan Derby, Josh
13 Jeffrey, and Jim Maggiore, Select Board Representative; Jennifer Rowden, RPC Circuit Rider; and Rick
14 Milner, Recording Secretary.
15

16 Vice Chair Monaghan called the meeting to order at 6:35 pm.
17

18 **I. New Business**

19 **1. Committee Updates**

20 No reports.
21

22 **II. Other Business**

23 **1. Town of North Hampton, NH** review of proposed Storm Water Management regulations.

24 Ms. Rowden continued her presentation from the Fall 2016 meetings regarding proposed storm water
25 management regulations intended to enhance the regulations already contained within the Town of
26 North Hampton Site Plan Regulations. Ms. Rowden stated that the current regulations effectively
27 address new development. The proposed regulations would better address changes in or expansion of
28 existing development. She suggested that, if the Planning Board chose to adopt the regulations, the
29 regulations be adopted as site plan regulations, not a zoning ordinance.
30

31 Ms. Rowden stated the following goals of stormwater management standards:

- 32 a. create ways to drain stormwater through the best filtration elements in order to eliminate as
33 much pollutants as possible from stormwater run-off
34 b. mitigate flooding issues
35

36 Ms. Rowden further stated that enhanced stormwater management regulations would aid the Town by
37 minimizing the amount of stormwater run-off from construction sites flooding or polluting abutting and
38 Town properties. As a result of this effort, the Town's liability for flooding or pollution caused by allowed
39 construction would be mitigated.
40

41 Ms. Rowden presented a NHDES Storm Water Manual which detailed site construction design criteria
42 and post-construction best management practices intended to provide the best ways to efficiently
43 manage storm water flow and ground infiltration. Ms. Rowden continued her review of the proposed
44 site plan regulations language derived from the Southeast Watershed Alliance storm water model
45 ordinance.

46 Ms. Rowden suggested that the Board consider establishing a minimum threshold for the amount of
47 disturbed area which would trigger the application of the stormwater management regulations for a
48 particular construction project. She also suggested that the threshold could be lowered for projects
49 which occur within the Aquifer Protection District.
50

51 Ms. Rowden further suggested that the Board consider changing the reference document noted in the
52 site plan regulations used to calculate the parameters of a major storm event. The site plan regulations
53 currently reference a document which uses rainfall data compiled between 1930 and 1960. The amount
54 of average rainfall has increased significantly in recent years. A document which references more recent
55 rainfall data will provide more appropriate parameters to establish effective stormwater management
56 practices.
57

58 Mr. Harned suggested that the percentage of the lot coverage which includes a disturbed area or
59 impervious surface also be considered when determining a triggering threshold. Development on
60 smaller lots would then be effectively managed.
61

62 Mr. Wilson suggested that the Planning Board could adopt the design criteria and standards of the
63 NHDES Storm Water Manual within the stormwater management regulations and apply stricter
64 standards on a case by case basis as deemed necessary by the Board.
65

66 **2. Town of North Hampton, NH review of RPC Regional Transportation Projects and Priorities.**

67 Mr. Harned presented correspondence from the Rockingham Planning Commission (RPC) regarding the
68 regular update of regional transportation projects to include in the New Hampshire Department of
69 Transportation (NHDOT) Ten Year Plan for prioritizing regional transportation issues and the Long Range
70 Transportation Plan for goals to accomplish in the next 20 years.
71

72 Mr. Wilson suggested that improvements to the intersection of Atlantic Avenue and Route 1 should be
73 proposed.
74

75 Mr. Derby suggested that the Planning Board receive data regarding the amount and location of
76 accidents within North Hampton from the Police Department. The Board should also ask the Police
77 Department for input regarding what it considers transportation improvement priorities based on its
78 experience.
79

80 The Board came to a consensus without objection that Board members will present suggested
81 transportation project priorities for consideration at the February 7, 2017 meeting.
82

83 **3. Minutes.**

84 Ms. Monaghan presented the minutes of the January 3, 2017 Planning Board meeting.

85 **Mr. Harned moved that the Planning Board accept the minutes of the January 3, 2017 meeting as**
86 **written. Second by Mr. Wilson. The vote was unanimous in favor of the motion (6-0).**
87

88 The meeting was adjourned at 8:21 pm without objection.
89

90 Respectfully submitted,
91 Rick Milner
92 Recording Secretary